

BOOK 363 PAGE 218
OFFICIAL RECORDS
RECORDED AT THE REQUEST OF
Dayton Mining (U.S.)
2003 JUL 11 PM 1:37

**CERTIFICATE OF LOCATION
LODE MINING CLAIM**

EUREKA COUNTY NEVADA
M.N. REBAL EARTH RECORDER
FILE NO. _____ FEES \$ 20.50

TO ALL WHOM IT MAY CONCERN:

The undersigned hereby certifies that he has caused to be located the
SFC 163 Lode Mining Claim in the following quarter
sections(s):

<u>1/4</u>	<u>Section</u>	<u>Township</u>	<u>Range</u>	<u>Meridian</u>
NW	8	NORTH	48 EAST	MDB&M
NE	7	NORTH	48 EAST	MDB&M
SW	5	NORTH	48 EAST	MDB&M

182195

in Eureka City, Nevada, on the 6TH day of
May, 2003

RECORDER'S STAMP

Name and mailing address locator is: Dayton Mining (U.S.)
3550 Barron Way #12B
Reno, Nevada 89511

The Claim is approximately 1500 feet long and 600 feet wide, such that 10 feet are
claimed in a East direction and 1490 feet in a West direction from the point of
discovery (monument of location), at which the Notice of Location was posted, together with 300 feet on
each side of the monument location and center line of the Claim. The general course of the lode or vein is from
the East to the West direction.

The number, location and markings on each corner monument are as follows:

	<u>Location</u>	<u>Markings</u>	<u>Description</u>
No. 1:	<u>Northwest Cor</u>	<u>N.W. Corner SFC 163</u>	<u>1½" x 1½" x 4' wood post</u>
No. 2:	<u>Northeast Cor</u>	<u>N.E. Corner SFC 163</u>	<u>1½" x 1½" x 4' wood post</u>
No. 3:	<u>Southeast Cor</u>	<u>S.E. Corner SFC 163</u>	<u>1½" x 1½" x 4' wood post</u>
No. 4:	<u>Southwest Cor</u>	<u>S.W. Corner SFC 163</u>	<u>1½" x 1½" x 4' wood post</u>

As erected on the ground, each corner monument is marked as described above by
scribed metal tags.

The work of location consists of making a claim map as provided in NRS 517.040.

Dated this 23rd day of May, 2003

SIGNATURE OF LOCATOR

By: [Signature]
Signature

H. H. Tonking, Agent

Nevada - Lode Certificate of Location - NRS. 517.050

182195

BOOK 363 PAGE 218

**CERTIFICATE OF LOCATION
LODE MINING CLAIM**

BOOK **363** PAGE **219**
OFFICIAL RECORDS
RECORDED AT THE REQUEST OF
Dayton Mining (US)
2003 JUL 11 PM 1:38

EUREKA COUNTY NEVADA
M.N. REBALEATI, RECORDER
FILE NO. FEES **20⁵⁰**

182196

TO ALL WHOM IT MAY CONCERN:

The undersigned hereby certifies that he has caused to be located the
SFC 164 Lode Mining Claim in the following quarter
sections(s):

<u>1/4</u>	<u>Section</u>	<u>Township</u>	<u>Range</u>	<u>Meridian</u>
NW	8	24 th NORTH	48 EAST	MDB&M
NE	8	24 th NORTH	48 EAST	MDB&M
SW	5	24 th NORTH	48 EAST	MDB&M
SE	5	24 th NORTH	48 EAST	MDB&M

in Eureka City, Nevada, on the 6th day of
May, 200

RECORDER'S STAMP

Name and mailing address locator is: Dayton Mining (U.S.)
3550 Barron Way #12B
Reno, Nevada 89511

The Claim is approximately 1500 feet long and 600 feet wide, such that 1490 feet
are claimed in a East direction and 10 feet in a West direction from the point of
discovery (monument of lode), at which the Notice of Location was posted, together with 300 feet on
each side of the monument location and center line of the Claim. The general course of the lode or vein is from
the East to the West direction.

The number, location and markings on each corner monument are as follows:

	<u>Location</u>	<u>Markings</u>	<u>Description</u>
No. 1:	<u>Northwest Cor</u>	<u>N.W. Corner SFC 164</u>	<u>1½" x 1½" x 4' wood post</u>
No. 2:	<u>Northeast Cor</u>	<u>N.E. Corner SFC 164</u>	<u>1½" x 1½" x 4' wood post</u>
No. 3:	<u>Southeast Cor</u>	<u>S.E. Corner SFC 164</u>	<u>1½" x 1½" x 4' wood post</u>
No. 4:	<u>Southwest Cor</u>	<u>S.W. Corner SFC 164</u>	<u>1½" x 1½" x 4' wood post</u>

As erected on the ground, each corner monument is marked as described above by
scribed metal tags.

The work of location consists of making a claim map as provided in NRS 517.040.

Dated this 23rd day of July, 2003

SIGNATURE OF LOCATOR:

By: *H. H. Tonking*
Signature

H. H. Tonking, Agent

Nevada - Lode Certificate of Location - NRS. 517.050

182196

BOOK 363 PAGE 219

**CERTIFICATE OF LOCATION
L&E MINING CLAIM**

BOOK 363 PAGE 220
OFFICIAL RECORDS
RECORDED AT THE REQUEST OF
Dayton Mining (us)
2003 JUL 11 PM 1:38

EUREKA COUNTY NEVADA
M.N. REBAL. RECORDED
FILE NO. FEES 20.50

182197

TO ALL WHOM IT MAY CONCERN:

The undersigned hereby certifies that he has caused to be located the
SFC 165 L&E Mining Claim in the following quarter
sections(s):

<u>1/4</u>	<u>Section</u>	<u>Township</u>	<u>Range</u>	<u>Meridian</u>
NW	8	NORTH	48 EAST	MDB&M
NE	7	NORTH	48 EAST	MDB&M

in Eureka County, Nevada, on the 6TH day of
May, 2003

RECORDER'S STAMP

Name and mailing address locator is: Dayton Mining (U.S.)
3550 Barron Way #12B
Reno, Nevada 89511

The Claim is approximately 1500 feet long and 600 feet wide, such that 10 feet are
claimed in a East direction and 1490 feet in a West direction from the point of
discovery (monument of loon), at which the Notice of Location was posted, together with 300 feet on
each side of the monument location and center line of the Claim. The general course of the lode or vein is from
the East to the W direction.

The number, location and markings on each corner monument are as follows:

<u>No.</u>	<u>Location</u>	<u>Markings</u>	<u>Description</u>
No. 1:	<u>Northwest Cor</u>	<u>N.W. Corner SFC 165</u>	<u>1½" x 1½" x 4' wood post</u>
No. 2:	<u>Northeast Cor</u>	<u>N.E. Corner SFC 165</u>	<u>1½" x 1½" x 4' wood post</u>
No. 3:	<u>Southeast Cor</u>	<u>S.E. Corner SFC 165</u>	<u>1½" x 1½" x 4' wood post</u>
No. 4:	<u>Southwest Cor</u>	<u>S.W. Corner SFC 165</u>	<u>1½" x 1½" x 4' wood post</u>

As erected on the ground, each corner monument is marked as described above by
scribed metal tags.

The work of location consists of making a claim map as provided in NRS 517.040.

Dated this 23rd day of June, 2003

SIGNATURE OF LOCATOR

By: [Signature]
Signature
H. H. Tonking, Agent

182197

BOOK 363 PAGE 220

BOOK 363 PAGE 221
 OFFICIAL RECORDS
 RECORDED AT THE REQUEST OF
Dayton Mining (us)
 2003 JUL 11 PM 1:38

**CERTIFICATE OF LOCATION
 OF MINING CLAIM**

EUREKA COUNTY NEVADA
 M.H. REBALEATI, RECORDER
 FILE NO. FEES 20.50
182198

TO ALL WHOM IT MAY CONCERN:

The undersigned hereby certifies that he has caused to be located the
SFC 166 lode Mining Claim in the following quarter
 sections(s):

<u>1/4</u>	<u>Section</u>	<u>Township</u>	<u>Range</u>	<u>Meridian</u>
NW	8	2 NORTH	48 EAST	MDB&M
NE	8	2 NORTH	48 EAST	MDB&M

in Eureka County, Nevada, on the 6TH day of
May, 2003

RECORDER'S STAMP

Name and mailing address locator is: Dayton Mining (U.S.)
3550 Barron Way #12B
Reno, Nevada 89511

The Claim is approximately 1500 feet long and 600 feet wide, such that 1490 feet
 are claimed in a East direction and 10 feet in a West direction from the point of
 discovery (monument of locn), at which the Notice of Location was posted, together with 300 feet on
 each side of the monument location and center line of the Claim. The general course of the lode or vein is from
 the East to the W direction.

The number, location and markings on each corner monument are as follows:

	<u>Location</u>	<u>Markings</u>	<u>Description</u>
No. 1:	<u>Northwest Cor</u>	<u>N.W. Corner SFC 166</u>	<u>1½" x 1½" x 4' wood post</u>
No. 2:	<u>Northeast Cor</u>	<u>N.E. Corner SFC 166</u>	<u>1½" x 1½" x 4' wood post</u>
No. 3:	<u>Southeast Cor</u>	<u>S.E. Corner SFC 166</u>	<u>1½" x 1½" x 4' wood post</u>
No. 4:	<u>Southwest Cor</u>	<u>S.W. Corner SFC 166</u>	<u>1½" x 1½" x 4' wood post</u>

As erected on the ground, each corner monument is marked as described above by
 scribed metal tags.

The work of location consists of making a claim map as provided in NRS 517.040.

Dated this 23rd day of May, 2003

SIGNATURE OF LOCATOR:

By: [Signature]
 Signature
 H. H. Tonking, Agent

BOOK 363 PAGE 222
 OFFICIAL RECORDS
 RECORDED AT THE REQUEST OF
Dayton Mining (us)
 2003 JUL 11 PM 1:38

**CERTIFICATE OF LOCATION
 OF A MINING CLAIM**

EUREKA COUNTY NEVADA
 M.N. REBALEATI, RECORDER
 FILED. FEES 20.50

TO ALL WHOM IT MAY CONCERN:

The undersigned hereby certifies that he has caused to be located the
SFC 167 Lode Mining Claim in the following quarter
 section(s):

182199

<u>1/4</u>	<u>Section</u>	<u>Township</u>	<u>Range</u>	<u>Meridian</u>
NW	8	NORTH	48 EAST	MDB&M
NE	7	NORTH	48 EAST	MDB&M

in Eureka County, Nevada, on the 6TH day of
May, 2003

RECORDER'S STAMP

Name and mailing address locator is: Dayton Mining (U.S.)
3550 Barron Way #12B
Reno, Nevada 89511

The Claim is approximately 1500 feet long and 600 feet wide, such that 10 feet are
 claimed in a East direction and 1490 feet in a West direction from the point of
 discovery (monument of lode), at which the Notice of Location was posted, together with 300 feet on
 each side of the monument location and center line of the Claim. The general course of the lode or vein is from
 the East to the West direction.

The number, location and markings on each corner monument are as follows:

	<u>Location</u>	<u>Markings</u>	<u>Description</u>
No. 1:	<u>Northwest Cor</u>	<u>N.W. Corner SFC 167</u>	<u>1 1/2" x 1 1/2" x 4' wood post</u>
No. 2:	<u>Northeast Cor</u>	<u>N.E. Corner SFC 167</u>	<u>1 1/2" x 1 1/2" x 4' wood post</u>
No. 3:	<u>Southeast Cor</u>	<u>S.E. Corner SFC 167</u>	<u>1 1/2" x 1 1/2" x 4' wood post</u>
No. 4:	<u>Southwest Cor</u>	<u>S.W. Corner SFC 167</u>	<u>1 1/2" x 1 1/2" x 4' wood post</u>

As erected on the ground, each corner monument is marked as described above by
 scribed metal tags.

The work of location consists of making a claim map as provided in NRS 517.040.

Dated this 23rd day of May, 2003

SIGNATURE OF LOCATOR

By: [Signature]
 Signature

H. H. Tonking, Agent

**CERTIFICATE OF LOCATION
OF A MINING CLAIM**

BOOK 363 PAGE 223
OFFICIAL RECORDS
RECORDED AT THE REQUEST OF
Dayton Mining (us)
2003 JUL 11 PM 1:38

TO ALL WHOM IT MAY CONCERN:

EUREKA COUNTY NEVADA
M.N. REBALEATI, RECORDER
RENO
FEES 20.50

The undersigned hereby certifies that he has caused to be located the
SFC 168 Lode Mining Claim in the following quarter

182200

sections(s):

<u>1/4</u>	<u>Section</u>	<u>Township</u>	<u>Range</u>	<u>Meridian</u>
NW	8	NORTH	48 EAST	MDB&M
NE	8	NORTH	48 EAST	MDB&M

in Eureka County, Nevada, on the 6TH day of
May, 2003

RECORDER'S STAMP

Name and mailing address locator is: Dayton Mining (U.S.)
3550 Barron Way #12B
Reno, Nevada 89511

The Claim is approximately 1500 feet long and 600 feet wide, such that 1490 feet are claimed in a East direction and 10 feet in a West direction from the point of discovery (monument of location), at which the Notice of Location was posted, together with 300 feet on each side of the monument location and center line of the Claim. The general course of the lode or vein is from the East to the West direction.

The number, location and markings on each corner monument are as follows:

<u>No.</u>	<u>Location</u>	<u>Markings</u>	<u>Description</u>
No. 1:	<u>Northwest Cor</u>	<u>N.W. Corner SFC 168</u>	<u>1 1/2" x 1 1/2" x 4' wood post</u>
No. 2:	<u>Northeast Cor</u>	<u>N.E. Corner SFC 168</u>	<u>1 1/2" x 1 1/2" x 4' wood post</u>
No. 3:	<u>Southeast Cor</u>	<u>S.E. Corner SFC 168</u>	<u>1 1/2" x 1 1/2" x 4' wood post</u>
No. 4:	<u>Southwest Cor</u>	<u>S.W. Corner SFC 168</u>	<u>1 1/2" x 1 1/2" x 4' wood post</u>

As erected on the ground, a corner monument is marked as described above by scribed metal tags.

The work of location consisted of making a claim map as provided in NRS 517.040.

Dated this 23rd day of May, 2003

SIGNATURE OF LOCATOR

By: [Signature]
Signature

H. H. Tonking, Agent

Nevada - Lode Certificate of Location - NRS. 517.050

182200

BOOK 363 PAGE 223

**CERTIFICATE OF LOCATION
OF A MINING CLAIM**

BOOK 363 PAGE 224
 OFFICIAL RECORDS
 RECORDED AT THE REQUEST OF
Dayton Mining (US)
 2003 JUL 11 PM 1:38

EUREKA COUNTY NEVADA
 M.N. REBALEATI, RECORDER
 FILE NO. **182201** FEES 20.50

TO ALL WHOM IT MAY CONCERN:

The undersigned hereby certifies that he has caused to be located the
SFC 169 Mining Claim in the following quarter
 sections(s):

<u>1/4</u>	<u>Section</u>	<u>Township</u>	<u>Range</u>	<u>Meridian</u>
NW	8	NORTH	48 EAST	MDB&M
NE	7	NORTH	48 EAST	MDB&M

in Eureka County, Nevada, on the 6TH day of
May, 2003

RECORDER'S STAMP

Name and mailing address locator is: Dayton Mining (U.S.)
3550 Barron Way #12B
Reno, Nevada 89511

The Claim is approximately 1500 feet long and 600 feet wide, such that 10 feet are
 claimed in a East direction and 1490 feet in a West direction from the point of
 discovery (monument of location), at which the Notice of Location was posted, together with 300 feet on
 each side of the monument location and center line of the Claim. The general course of the lode or vein is from
 the East to the West direction.

The number, location and markings on each corner monument are as follows:

<u>No.</u>	<u>Location</u>	<u>Markings</u>	<u>Description</u>
No. 1:	<u>Northwest Cor</u>	<u>N.W. Corner SFC 169</u>	<u>1½" x 1½" x 4' wood post</u>
No. 2:	<u>Northeast Cor</u>	<u>N.E. Corner SFC 169</u>	<u>1½" x 1½" x 4' wood post</u>
No. 3:	<u>Southeast Cor</u>	<u>S.E. Corner SFC 169</u>	<u>1½" x 1½" x 4' wood post</u>
No. 4:	<u>Southwest Cor</u>	<u>S.W. Corner SFC 169</u>	<u>1½" x 1½" x 4' wood post</u>

As erected on the ground, each corner monument is marked as described above by
 scribed metal tags.

The work of location consists of making a claim map as provided in NRS 517.040.

Dated this 23rd day of May, 2003

SIGNATURE OF LOCATOR

By: [Signature]
 Signature

H. H. Tonking, Agent

BOOK 363 PAGE 225
 OFFICIAL RECORDS
 RECORDED AT THE REQUEST OF
Dayton Mining (us)
 2003 JUL 11 PM 1:38

**CERTIFICATE OF LOCATION
 OF MINING CLAIM**

EUREKA COUNTY NEVADA
 M.H. REBALEATI, RECORDER
 FILE NO. FEES 20.50
182202

TO ALL WHOM IT MAY CONCERN:

The undersigned hereby certifies that he has caused to be located the
SFC 170 Lode Mining Claim in the following quarter
 sections(s):

<u>1/4</u>	<u>Section</u>	<u>Township</u>	<u>Range</u>	<u>Meridian</u>
NW	8	2 NORTH	48 EAST	MDB&M
NE	8	2 NORTH	48 EAST	MDB&M

in Eureka County, Nevada, on the 6TH day of
May, 200

RECORDER'S STAMP

Name and mailing address locator is: Dayton Mining (U.S.)
3550 Barron Way #12B
Reno, Nevada 89511

The Claim is approximately 1500 feet long and 600 feet wide, such that 1490 feet
 are claimed in a East direction and 10 feet in a West direction from the point of
 discovery (monument of lode), at which the Notice of Location was posted, together with 300 feet on
 each side of the monument location and center line of the Claim. The general course of the lode or vein is from
 the East to the W direction.

The number, location and marks on each corner monument are as follows:

	<u>Location</u>	<u>Markings</u>	<u>Description</u>
No. 1:	<u>Northwest Cor</u>	<u>N.W. Corner SFC 170</u>	<u>1½" x 1½" x 4' wood post</u>
No. 2:	<u>Northeast Cor</u>	<u>N.E. Corner SFC 170</u>	<u>1½" x 1½" x 4' wood post</u>
No. 3:	<u>Southeast Cor</u>	<u>S.E. Corner SFC 170</u>	<u>1½" x 1½" x 4' wood post</u>
No. 4:	<u>Southwest Cor</u>	<u>S.W. Corner SFC 170</u>	<u>1½" x 1½" x 4' wood post</u>

As erected on the ground, each corner monument is marked as described above by
 scribed metal tags.

The work of location consists of making a claim map as provided in NRS 517.040.

Dated this 23rd day of May, 2003

SIGNATURE OF LOCATOR

By: [Signature]
 Signature

H. H. Tonking, Agent

BOOK 363 PAGE 226
 OFFICIAL RECORDS
 RECORDED AT THE REQUEST OF
Dayton Mining (US)
 2003 JUL 11 PM 1:38

**CERTIFICATE OF LOCATION
 OF A MINING CLAIM**

TO ALL WHOM IT MAY CONCERN:

EUREKA COUNTY NEVADA
 M.N. REBALEATI, RECORDER
 FILED
182203 FEES 20.50

The undersigned hereby certifies that he has caused to be located the
SFC 171 Lode Mining Claim in the following quarter
 sections(s):

<u>1/4</u>	<u>Section</u>	<u>Township</u>	<u>Range</u>	<u>Meridian</u>
NW	8	NORTH	48 EAST	MDB&M
SW	8	NORTH	48 EAST	MDB&M
NE	7	NORTH	48 EAST	MDB&M
SE	7	NORTH	48 EAST	MDB&M

in Eureka County, Nevada, on the 6TH day of
May, 2003

RECORDER'S STAMP

Name and mailing address locator is: Dayton Mining (U.S.)
3550 Barron Way #12B
Reno, Nevada 89511

The Claim is approximately 1500 feet long and 600 feet wide, such that 10 feet are
 claimed in a East direction and 1490 feet in a West direction from the point of
 discovery (monument of location), at which the Notice of Location was posted, together with 300 feet on
 each side of the monument location and center line of the Claim. The general course of the lode or vein is from
 the East to the West direction.

The number, location and markings on each corner monument are as follows:

<u>No.</u>	<u>Location</u>	<u>Markings</u>	<u>Description</u>
No. 1:	<u>Northwest Cor</u>	<u>N.W. Corner SFC 171</u>	<u>1 1/2" x 1 1/2" x 4' wood post</u>
No. 2:	<u>Northeast Cor</u>	<u>N.E. Corner SFC 171</u>	<u>1 1/2" x 1 1/2" x 4' wood post</u>
No. 3:	<u>Southeast Cor</u>	<u>S.E. Corner SFC 171</u>	<u>1 1/2" x 1 1/2" x 4' wood post</u>
No. 4:	<u>Southwest Cor</u>	<u>S.W. Corner SFC 171</u>	<u>1 1/2" x 1 1/2" x 4' wood post</u>

As erected on the ground, a corner monument is marked as described above by
 scribed metal tags.

The work of location consisted of making a claim map as provided in NRS 517.040.

Dated this 23rd day of July, 2003

SIGNATURE OF LOCATOR

By: [Signature]
 Signature

H. H. Tonking, Agent

BOOK 363 PAGE 227
 OFFICIAL RECORDS
 RECORDED AT THE REQUEST OF
Dayton Mining (us)
 2003 JUL 11 PM 1:38

**CERTIFICATE OF LOCATION
 OF A MINING CLAIM**

TO ALL WHOM IT MAY CONCERN:

EUREKA COUNTY NEVADA
 M.N. REBALEATI, RECORDER
 FILE NO. 182204 FEES 20.50

The undersigned hereby certifies that he has caused to be located the
SFC 172 lode Mining Claim in the following quarter
 sections(s):

<u>1/4</u>	<u>Section</u>	<u>Township</u>	<u>Range</u>	<u>Meridian</u>
NW	8	NORTH	48 EAST	MDB&M
NE	8	NORTH	48 EAST	MDB&M
SW	8	NORTH	48 EAST	MDB&M
SE	8	NORTH	48 EAST	MDB&M

in Eureka County, Nevada, on the 6TH day of
May, 2003

RECORDER'S STAMP

Name and mailing address locator is: Dayton Mining (U.S.)
3550 Barron Way #12B
Reno, Nevada 89511

The Claim is approximately 1500 feet long and 600 feet wide, such that 1490 feet
 are claimed in a East direction and 10 feet in a West direction from the point of
 discovery (monument of lode), at which the Notice of Location was posted, together with 300 feet on
 each side of the monument location and center line of the Claim. The general course of the lode or vein is from
 the East to the West direction.

The number, location and markings on each corner monument are as follows:

<u>No.</u>	<u>Location</u>	<u>Markings</u>	<u>Description</u>
No. 1:	<u>Northwest Cor</u>	<u>N.W. Corner SFC 172</u>	<u>1 1/2" x 1 1/2" x 4' wood post</u>
No. 2:	<u>Northeast Cor</u>	<u>N.E. Corner SFC 172</u>	<u>1 1/2" x 1 1/2" x 4' wood post</u>
No. 3:	<u>Southeast Cor</u>	<u>S.E. Corner SFC 172</u>	<u>1 1/2" x 1 1/2" x 4' wood post</u>
No. 4:	<u>Southwest Cor</u>	<u>S.W. Corner SFC 172</u>	<u>1 1/2" x 1 1/2" x 4' wood post</u>

As erected on the ground, each corner monument is marked as described above by
 scribed metal tags.

The work of location consists of making a claim map as provided in NRS 517.040.

Dated this 23rd day of May, 2003

SIGNATURE OF LOCATOR

By: [Signature]
 Signature
 H. H. Tonking, Agent

**CERTIFICATE OF LOCATION
L&E MINING CLAIM**

BOOK 363 PAGE 228
 OFFICIAL RECORDS
 RECORDED AT THE REQUEST OF
Dayton Mining (us)
 2003 JUL 11 PM 1:38

EUREKA COUNTY NEVADA
 M.N. REDEALATI RECORDER
 FILE NO. _____ FEES 20.50

TO ALL WHOM IT MAY CONCERN:

The undersigned hereby certifies that he has caused to be located the
SFC 173 lode Mining Claim in the following quarter

sections(s):

<u>1/4</u>	<u>Section</u>	<u>Township</u>	<u>Range</u>	<u>Meridian</u>
<u>SE</u>	<u>7</u>	<u>NORTH</u>	<u>48 EAST</u>	<u>MDB&M</u>
<u>SW</u>	<u>8</u>	<u>NORTH</u>	<u>48 EAST</u>	<u>MDB&M</u>

182205

in Eureka County, Nevada, on the 6TH day of
May, 2003

RECORDER'S STAMP

Name and mailing address locator is: Dayton Mining (U.S.)
3550 Barron Way #12B
Reno, Nevada 89511

The Claim is approximately 1500 feet long and 600 feet wide, such that 10 feet are
 claimed in a East direction and 1490 feet in a West direction from the point of
 discovery (monument of lode), at which the Notice of Location was posted, together with 300 feet on
 each side of the monument location and center line of the Claim. The general course of the lode or vein is from
 the East to the W direction.

The number, location and markings on each corner monument are as follows:

	<u>Location</u>	<u>Markings</u>	<u>Description</u>
No. 1:	<u>Northwest Cor</u>	<u>N.W. Corner SFC 173</u>	<u>1 1/2" x 1 1/2" x 4' wood post</u>
No. 2:	<u>Northeast Cor</u>	<u>N.E. Corner SFC 173</u>	<u>1 1/2" x 1 1/2" x 4' wood post</u>
No. 3:	<u>Southeast Cor</u>	<u>S.E. Corner SFC 173</u>	<u>1 1/2" x 1 1/2" x 4' wood post</u>
No. 4:	<u>Southwest Cor</u>	<u>S.W. Corner SFC 173</u>	<u>1 1/2" x 1 1/2" x 4' wood post</u>

As erected on the ground, each corner monument is marked as described above by
 scribed metal tags.

The work of location consist of making a claim map as provided in NRS 517.040.

Dated this 23rd day of June, 2003

SIGNATURE OF LOCATOR

By: [Signature]
 Signature

H. H. Tonking, Agent

**CERTIFICATE OF LOCATION
FOR MINING CLAIM**

BOOK 363 PAGE 229
 OFFICIAL RECORDS
 RECORDED AT THE REQUEST OF
Dayton Mining (us)
 2003 JUL 11 PM 1:38

EUREKA COUNTY NEVADA
 M.N. REBALEATI, RECORDER
 FILE NO. _____ FEES 20.50
182206

TO ALL WHOM IT MAY CONCERN:

The undersigned hereby certifies that he has caused to be located the
SFC 174 Lode Mining Claim in the following quarter
 section(s):

<u>1/4</u>	<u>Section</u>	<u>Township</u>	<u>Range</u>	<u>Meridian</u>
SW	8	NORTH	48 EAST	MDB&M
SE	8	NORTH	48 EAST	MDB&M

in Eureka County, Nevada, on the 6TH day of
May, 2003

RECORDER'S STAMP

Name and mailing address locator is: Dayton Mining (U.S.)
3550 Barron Way #12B
Reno, Nevada 89511

The Claim is approximately 1500 feet long and 600 feet wide, such that 1490 feet
 are claimed in a East direction and 10 feet in a West direction from the point of
 discovery (monument of location), at which the Notice of Location was posted, together with 300 feet on
 each side of the monument location and center line of the Claim. The general course of the lode or vein is from
 the East to the W direction.

The number, location and markings on each corner monument are as follows:

	<u>Location</u>	<u>Markings</u>	<u>Description</u>
No. 1:	<u>Northwest Cor</u>	<u>N.W. Corner SFC 174</u>	<u>1 1/2" x 1 1/2" x 4' wood post</u>
No. 2:	<u>Northeast Cor</u>	<u>N.E. Corner SFC 174</u>	<u>1 1/2" x 1 1/2" x 4' wood post</u>
No. 3:	<u>Southeast Cor</u>	<u>S.E. Corner SFC 174</u>	<u>1 1/2" x 1 1/2" x 4' wood post</u>
No. 4:	<u>Southwest Cor</u>	<u>S.W. Corner SFC 174</u>	<u>1 1/2" x 1 1/2" x 4' wood post</u>

As erected on the ground, a corner monument is marked as described above by
 scribed metal tags.

The work of location consists of making a claim map as provided in NRS 517.040.

Dated this 23rd day of June, 2003

SIGNATURE OF LOCATOR:

By: [Signature]
 Signature
 H. H. Tonking, Agent

**CERTIFICATE OF LOCATION
OF A LODE MINING CLAIM**

BOOK 363 PAGE 230
OFFICIAL RECORDS
RECORDED AT THE REQUEST OF
Dayton Mining (U.S.)
2003 JUL 11 PM 1:39

EUREKA COUNTY NEVADA
M.H. REBALEATI, RECORDER
FEE \$ 20
182207

TO ALL WHOM IT MAY CONCERN:

The undersigned hereby certifies that he has caused to be located the
SFC 175 Lode Mining Claim in the following quarter

sections(s):

<u>1/4</u>	<u>Section</u>	<u>Township</u>	<u>Range</u>	<u>Meridian</u>
SW	8	NORTH	48 EAST	MDB&M
SE	7	NORTH	48 EAST	MDB&M

in Eureka County, Nevada, on the 6TH day of
May, 2003

RECORDER'S STAMP

Name and mailing address locator is: Dayton Mining (U.S.)
3550 Barron Way #12B
Reno, Nevada 89511

The Claim is approximately 1500 feet long and 600 feet wide, such that 10 feet are claimed in a East direction and 1490 feet in a West direction from the point of discovery (monument of location), at which the Notice of Location was posted, together with 300 feet on each side of the monument location and center line of the Claim. The general course of the lode or vein is from the East to the West direction.

The number, location and markings on each corner monument are as follows:

<u>No.</u>	<u>Location</u>	<u>Markings</u>	<u>Description</u>
No. 1:	<u>Northwest Cor</u>	<u>N.W. Corner SFC 175</u>	<u>1½" x 1½" x 4' wood post</u>
No. 2:	<u>Northeast Cor</u>	<u>N.E. Corner SFC 175</u>	<u>1½" x 1½" x 4' wood post</u>
No. 3:	<u>Southeast Cor</u>	<u>S.E. Corner SFC 175</u>	<u>1½" x 1½" x 4' wood post</u>
No. 4:	<u>Southwest Cor</u>	<u>S.W. Corner SFC 175</u>	<u>1½" x 1½" x 4' wood post</u>

As erected on the ground, a corner monument is marked as described above by scribed metal tags.

The work of location consisted of making a claim map as provided in NRS 517.040.

Dated this 23rd day of June, 2003

SIGNATURE OF LOCATOR

By: *H. H. Tonking*
Signature

H. H. Tonking, Agent

Nevada – Lode Certificate of Location – NRS. 517.050

182207

BOOK 363 PAGE 230

BOOK 363 PAGE 231
 OFFICIAL RECORDS
 RECORDED AT THE REQUEST OF
 Dayton Mining (us)
 2003 JUL 11 PM 1:39

**CERTIFICATE OF LOCATION
 OF A MINING CLAIM**

TO ALL WHOM IT MAY CONCERN:

EUREKA COUNTY NEVADA
 M.N. REBEA L. RECORDER
 FILE NO. 182208
 FEES 20⁵⁰

The undersigned hereby certifies that he has caused to be located the
SFC 176 lode Mining Claim in the following quarter
 sections(s):

<u>1/4</u>	<u>Section</u>	<u>Township</u>	<u>Range</u>	<u>Meridian</u>
SW	8	2 NORTH	48 EAST	MDB&M
SE	8	2 NORTH	48 EAST	MDB&M

in Eureka City, Nevada, on the 6TH day of
May, 2003

RECORDER'S STAMP

Name and mailing address locator is: Dayton Mining (U.S.)
3550 Barron Way #12B
Reno, Nevada 89511

The Claim is approximately 1500 feet long and 600 feet wide, such that 1490 feet
 are claimed in a East direction and 10 feet in a West direction from the point of
 discovery (monument of lode), at which the Notice of Location was posted, together with 300 feet on
 each side of the monument location and center line of the Claim. The general course of the lode or vein is from
 the East to the W direction.

The number, location and markings on each corner monument are as follows:

	<u>Location</u>	<u>Markings</u>	<u>Description</u>
No. 1:	<u>Northwest Cor</u>	<u>N.W. Corner SFC 176</u>	<u>1 1/2" x 1 1/2" x 4' wood post</u>
No. 2:	<u>Northeast Cor</u>	<u>N.E. Corner SFC 176</u>	<u>1 1/2" x 1 1/2" x 4' wood post</u>
No. 3:	<u>Southeast Cor</u>	<u>S.E. Corner SFC 176</u>	<u>1 1/2" x 1 1/2" x 4' wood post</u>
No. 4:	<u>Southwest Cor</u>	<u>S.W. Corner SFC 176</u>	<u>1 1/2" x 1 1/2" x 4' wood post</u>

As erected on the ground, each corner monument is marked as described above by
 scribed metal tags.

The work of location consists of making a claim map as provided in NRS 517.040.

Dated this 23rd day of July, 2003

SIGNATURE OF LOCATOR

By: [Signature]
 Signature

H. H. Tonking, Agent

**CERTIFICATE OF LOCATION
LODE MINING CLAIM**

BOOK 363 PAGE 232
OFFICIAL RECORDS
RECORDED AT THE REQUEST OF
Dayton Mining (us)
2003 JUL 11 PM 1:39

TO ALL WHOM IT MAY CONCERN:

EUREKA COUNTY NEVADA
M.N. REBALEATI, RECORDER
FILE NO. _____ F.F.E.S. 20

The undersigned hereby certifies that he has caused to be located the
SFC 177 Lode Mining Claim in the following quarter
sections(s):

182209

<u>1/4</u>	<u>Section</u>	<u>Township</u>	<u>Range</u>	<u>Meridian</u>
<u>NE</u>	<u>8</u>	<u>NORTH</u>	<u>48 EAST</u>	<u>MDB&M</u>

in Eureka County, Nevada, on the 6TH day of
May, 2003

RECORDER'S STAMP

Name and mailing address locator is: Dayton Mining (U.S.)
3550 Barron Way #12B
Reno, Nevada 89511

The Claim is approximately 1500 feet long and 600 feet wide, such that 1490 feet
are claimed in a East direction and 10 feet in a West direction from the point of
discovery (monument of locn), at which the Notice of Location was posted, together with 300 feet on
each side of the monument location and center line of the Claim. The general course of the lode or vein is from
the East to the W direction.

The number, location and markings on each corner monument are as follows:

	<u>Location</u>	<u>Markings</u>	<u>Description</u>
No. 1:	<u>Northwest Cor</u>	<u>N.W. Corner SFC 177</u>	<u>1½" x 1½" x 4' wood post</u>
No. 2:	<u>Northeast Cor</u>	<u>N.E. Corner SFC 177</u>	<u>1½" x 1½" x 4' wood post</u>
No. 3:	<u>Southeast Cor</u>	<u>S.E. Corner SFC 177</u>	<u>1½" x 1½" x 4' wood post</u>
No. 4:	<u>Southwest Cor</u>	<u>S.W. Corner SFC 177</u>	<u>1½" x 1½" x 4' wood post</u>

As erected on the ground, each corner monument is marked as described above by
scribed metal tags.

The work of location consists of making a claim map as provided in NRS 517.040.

Dated this 23rd day of May, 2003

SIGNATURE OF LOCATOR:

By: [Signature]
Signature

H. H. Tonking, Agent

BOOK 363 PAGE 233
 OFFICIAL RECORDS
 RECORDED AT THE REQUEST OF
Dayton Mining (US)
 2003 JUL 11 PM 1:39

**CERTIFICATE OF LOCATION
 OF A MINING CLAIM**

EUREKA COUNTY, NEVADA
 M.N. REBALEATI, RECORDER
 FILE NO. 182210 FEES 20.50

TO ALL WHOM IT MAY CONCERN:

The undersigned hereby certifies that he has caused to be located the
SFC 178 Lode Mining Claim in the following quarter
 section(s):

<u>1/4</u>	<u>Section</u>	<u>Township</u>	<u>Range</u>	<u>Meridian</u>
<u>NE</u>	<u>8</u>	<u>NORTH</u>	<u>48 EAST</u>	<u>MDB&M</u>

in Eureka County, Nevada, on the 6TH day of
May, 2003

RECORDER'S STAMP

Name and mailing address locator is: Dayton Mining (U.S.)
3550 Barron Way #12B
Reno, Nevada 89511

The Claim is approximately 1500 feet long and 600 feet wide, such that 1490 feet
 are claimed in a East direction and 10 feet in a West direction from the point of
 discovery (monument of lode), at which the Notice of Location was posted, together with 300 feet on
 each side of the monument location and center line of the Claim. The general course of the lode or vein is from
 the East to the W direction.

The number, location and markings on each corner monument are as follows:

	<u>Location</u>	<u>Markings</u>	<u>Description</u>
No. 1:	<u>Northwest Cor</u>	<u>N.W. Corner SFC 178</u>	<u>1 1/2" x 1 1/2" x 4' wood post</u>
No. 2:	<u>Northeast Cor</u>	<u>N.E. Corner SFC 178</u>	<u>1 1/2" x 1 1/2" x 4' wood post</u>
No. 3:	<u>Southeast Cor</u>	<u>S.E. Corner SFC 178</u>	<u>1 1/2" x 1 1/2" x 4' wood post</u>
No. 4:	<u>Southwest Cor</u>	<u>S.W. Corner SFC 178</u>	<u>1 1/2" x 1 1/2" x 4' wood post</u>

As erected on the ground, a corner monument is marked as described above by
 scribed metal tags.

The work of location consists of making a claim map as provided in NRS 517.040.

Dated this 23rd day of May, 2003

SIGNATURE OF LOCATOR

By: [Signature]
 Signature
 H. H. Tonking, Agent

BOOK 363 PAGE 234
 OFFICIAL RECORDS
 RECORDED AT THE REQUEST OF
Dayton Mining (U.S.)
 2003 JUL 11 PM 1:39

**CERTIFICATE OF LOCATION
 OF MINING CLAIM**

EUREKA COUNTY NEVADA
 N.M. REDEVELOPMENT RECORDS
 FILING FEES 20.50
182211

TO ALL WHOM IT MAY CONCERN:

The undersigned hereby certifies that he has caused to be located the
SFC 179 Lode Mining Claim in the following quarter
 sections(s):

<u>1/4</u>	<u>Section</u>	<u>Township</u>	<u>Range</u>	<u>Meridian</u>
<u>NE</u>	<u>8</u>	<u>NORTH</u>	<u>48 EAST</u>	<u>MDB&M</u>
<u>SE</u>	<u>8</u>	<u>NORTH</u>	<u>48 EAST</u>	<u>MDB&M</u>

in Eureka City, Nevada, on the 6TH day of
May, 2003

RECORDER'S STAMP

Name and mailing address locator is: Dayton Mining (U.S.)
3550 Barron Way #12B
Reno, Nevada 89511

The Claim is approximately 1500 feet long and 600 feet wide, such that 1490 feet
 are claimed in a East direction and 10 feet in a West direction from the point of
 discovery (monument of lode), at which the Notice of Location was posted, together with 300 feet on
 each side of the monument location and center line of the Claim. The general course of the lode or vein is from
 the East to the W direction.

The number, location and markings on each corner monument are as follows:

	<u>Location</u>	<u>Markings</u>	<u>Description</u>
No. 1:	<u>Northwest Cor</u>	<u>N.W. Corner SFC 179</u>	<u>1 1/2" x 1 1/2" x 4' wood post</u>
No. 2:	<u>Northeast Cor</u>	<u>N.E. Corner SFC 179</u>	<u>1 1/2" x 1 1/2" x 4' wood post</u>
No. 3:	<u>Southeast Cor</u>	<u>S.E. Corner SFC 179</u>	<u>1 1/2" x 1 1/2" x 4' wood post</u>
No. 4:	<u>Southwest Cor</u>	<u>S.W. Corner SFC 179</u>	<u>1 1/2" x 1 1/2" x 4' wood post</u>

As erected on the ground, each corner monument is marked as described above by
 scribed metal tags.

The work of location consists of making a claim map as provided in NRS 517.040.

Dated this 23rd day of May, 2003

SIGNATURE OF LOCATOR

By: [Signature]
 Signature

H. H. Tonking, Agent

BOOK 363 PAGE 235
 OFFICIAL RECORDS
 RECORDED AT THE REQUEST OF
Dayton Mining (us)
 2009 JUL 11 PM 1:39

**CERTIFICATE OF LOCATION
 OF MINING CLAIM**

EUREKA COUNTY NEVADA
 M.N. REBALEATI, RECORDER
 FILE NO. _____ FEES 20.50

182212

TO ALL WHOM IT MAY CONCERN:

The undersigned hereby certifies that he has caused to be located the
SFC 180 Lode Mining Claim in the following quarter
 section(s):

<u>1/4</u>	<u>Section</u>	<u>Township</u>	<u>Range</u>	<u>Meridian</u>
<u>SE</u>	<u>8</u>	<u>24 NORTH</u>	<u>48 EAST</u>	<u>MDB&M</u>
_____	_____	_____	_____	_____
_____	_____	_____	_____	_____
_____	_____	_____	_____	_____

in Eureka City, Nevada, on the 6TH day of
May, 2003

RECORDER'S STAMP

Name and mailing address of locator is: Dayton Mining (U.S.)
3550 Barron Way #12B
Reno, Nevada 89511

The Claim is approximately 1500 feet long and 600 feet wide, such that 1490 feet
 are claimed in a East direction and 10 feet in a West direction from the point of
 discovery (monument of location), at which the Notice of Location was posted, together with 300 feet on
 each side of the monument location and center line of the Claim. The general course of the lode or vein is from
 the East to the West direction.

The number, location and markings on each corner monument are as follows:

	<u>Location</u>	<u>Markings</u>	<u>Description</u>
No. 1:	<u>Northwest Cor</u>	<u>N.W. Corner SFC 180</u>	<u>1 1/2" x 1 1/2" x 4' wood post</u>
No. 2:	<u>Northeast Cor</u>	<u>N.E. Corner SFC 180</u>	<u>1 1/2" x 1 1/2" x 4' wood post</u>
No. 3:	<u>Southeast Cor</u>	<u>S.E. Corner SFC 180</u>	<u>1 1/2" x 1 1/2" x 4' wood post</u>
No. 4:	<u>Southwest Cor</u>	<u>S.W. Corner SFC 180</u>	<u>1 1/2" x 1 1/2" x 4' wood post</u>

As erected on the ground, each corner monument is marked as described above by
 scribed metal tags.

The work of location consists of making a claim map as provided in NRS 517.040.

Dated this 23rd day of May, 2003

SIGNATURE OF LOCATOR

By: [Signature]
 Signature

H. H. Tonking, Agent

182212

BOOK 363 PAGE 235

CERTIFICATE OF LOCATION
LODGE MINING CLAIM

BOOK 363 PAGE 236
OFFICIAL RECORDS
RECORDED AT THE REQUEST OF
Dayton Mining (US)
2003 JUL 11 PM 1:39

EUREKA COUNTY NEVADA
M.N. REBALEATI, RECORDER
FILE NO. _____
FEES \$20.50

TO ALL WHOM IT MAY CONCERN:

The undersigned hereby certifies that he has caused to be located the
SFC 181 Mining Claim in the following quarter
sections(s):

<u>1/4</u>	<u>Section</u>	<u>Township</u>	<u>Range</u>	<u>Meridian</u>
SE	8	24 NORTH	48 EAST	MDB&M
_____	_____	_____	_____	_____
_____	_____	_____	_____	_____

182213

in Eureka City, Nevada, on the 6TH day of
May, 2003

RECORDER'S STAMP

Name and mailing address locator is: Dayton Mining (U.S.)
3550 Barron Way #12B
Reno, Nevada 89511

The Claim is approximately 1500 feet long and 600 feet wide, such that 1490 feet
are claimed in a East direction and 10 feet in a West direction from the point of
discovery (monument of lode), at which the Notice of Location was posted, together with 300 feet on
each side of the monument location and center line of the Claim. The general course of the lode or vein is from
the East to the West direction.

The number, location and markings on each corner monument are as follows:


	<u>Location</u>	<u>Markings</u>	<u>Description</u>
No. 1:	Northwest Cor	N.W. Corner SFC 181	1 1/2" x 1 1/2" x 4' wood post
No. 2:	Northeast Cor	N.E. Corner SFC 181	1 1/2" x 1 1/2" x 4' wood post
No. 3:	Southeast Cor	S.E. Corner SFC 181	1 1/2" x 1 1/2" x 4' wood post
No. 4:	Southwest Cor	S.W. Corner SFC 181	1 1/2" x 1 1/2" x 4' wood post

As erected on the ground, each corner monument is marked as described above by
scribed metal tags.

The work of location consists of making a claim map as provided in NRS 517.040.

Dated this 23rd day of July, 2003

SIGNATURE OF LOCATOR

By: 
Signature

H. H. Tonking, Agent

182213

BOOK 363 PAGE 236