BOOK 365 PAGE 199
OFFICIAL RECORDS
RECORDED AT THE REQUEST OF
JAMES A MINICO
2003 SEP 15 PM 12: 15

EUREKA COUNTY NEVADA M.N. REBALEATI, RECORDER FILENO. FEES 20

CERTCATE OF LOCATION LE MINING CLAIM

TO ALL WHOM IT MY CONCERN:

T1						\	00
	rsigned hereby co				18246	5 \	\
	ections(s):	Lode r	Mining Claim in	the following		_	\
1/4	Section	Township	Range	<u>Meridian</u>			\
<u> 5W</u>	22	35	50	MDB4M			\ .
SE		35	50	MOB+M			
							\
·							1
in G	UREKA	unty Nevada	on the 12th	ay of	1		1
SENTEM	BED , 200	inty, rievada,	on the 12 d.	ay or	R	ECORDER'S S	TAMP
	, , ,		(_ (
Name and	d mailing addres	ocator is:	JAME!	A.	MORRIS		
			230 E	BROOKLA	WN DE.		
			SORIN	GCPEFK	NU 89	815	
		_	,				
The Clain	n is approximate /	500 feet	long and t	co feet wid	le, such that 12	CC feet are	
claimed in	n a Southesstelly	tion and 30	C feet in a	NOTHWESTER	frection from the	point of discover	гу
(monume	nt of location), at	ch the Notice of	of Location was	posted, togethe	er with	feet on each s	ide of
the monui	ment of location of	center line of the	ne Claim. The g	general course of	of the lode or ven	is from the	
-SOUTHERS	LO LITE NORTH	e direction.			1 /		
The numb	er, location and is	ings on each c	orner monumen	t are as follows		>	
	Location		farkings	\ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \	Description		
No. 1:		•	ALC I	. \ \	12.14	1)-1-1)
	NORTHEAST.		NE- LCO	KOUT	12X12	WOODEN F	057
	SOUTH EAST		SE LOOI	KOUT	1/2 × 1/2	WOODEN PO	ET
No. 3:	SOUTHLEST.	ENER S	SW Look	SOUT	1/2×1/	2 WOODEN	POST
No. 4:	NORTHWEST :	RNER A	IW Las	KOUT	11/2 x 11	2 WOODEN	Act
		The state of the s		7 7	 		1027
	d on the ground. 1				ove by		
-Δ.	NT ON PO	(e.g. m	etal tags, paint c	on posts).			
Th	-614:	. Carallia and		34-43-3m0 e	17.040		
rne work	of location consi	or making a ci	aim map as pro	vided in NKS 3	17.040.		
Dated this	s <u>12</u> day of <u>Se</u>	MRGR 2003	ζ.				
Daise in	, <u>155</u> 20, 4, <u>21</u>		Z ·				
SIGNATI	URE OF LOCAT	. /)					
()	Λ	// /					
Ву	men /t	3400					
1	Owner, Claima	r Agent Signat	ure				
J	AMECA	MORRIS					
	Owner, Claimant						

Suggested Form - Nevada Division of Minerals (REV. 6/30/2003 LV)

Nevada Lode Certificate of Location - NRS 517.050

CERTICATE OF LOCATION LG MINING CLAIM

BOOK 365	PAGE 200
OFFICIAL RECO	RDS
RECORDED AT THE RE	OUEST OF
James a y	rouses
2003 SEP 15 PM	12: 15

TO ALL WHOM IT M CONCERN:

Owner, Claimant, gent Name (printed)

The Claim is approximately TOO feet long and LOO feet wide, such that AOO feet are claimed in a Surfus Fillion and Aoo feet in a Aberts and from the point of discovery (monument of location), at the third free for the monument of location when the corner monument are as follows: No. 2: ATHAST RISE SE FORMAN No. 3: ATHAST RISE SE FORMAN ASSERTED TO Making a claim map as provided in NRS 517.040. Dated this 12 day of Season Signature Location Country Country and Signature Asserced on the ground, e corner monument is marked as described above by Country Cou	FILENO.	FTES 20
quarter sections(s): 1/4	The undersigned hereby cost that he has caused to be located the	100
Section Township Range Meridian SW 22 35 50 MDB+M Int. Nevada, on the 12th day of September 2 2003 Name and mailing address scator is: Tame 5 A. Morris 230. Recentland De 5 September 2 230. Rece	Lode Mining Claim in the following	\ \
in ENREYA anty, Nevada, on the 12th day of SET 22 35 5C MDB+M MDB-M MDB-		\ \
In ENREYA anty, Nevada, on the 12th day of September 20c3. Name and mailing address scator is: The Claim is approximately CC feet long and 20 feet wide, such that 1300 feet are claimed in a Surveyself tion and 300 feet in a New 10th continuous posted, together with 300 feet on each side of the monument of location scenter line of the Claim. The general course of the lode or vein is from the Servey to the North direction. The number, location and rungs on each corner monument are as follows: Location Markings Description No. 1: Northeast Ries SE JORMAN 1/2×1/2 Wooden feet Too. 3: Surtheast Ries SE JORMAN 1/2×1/2 Wooden feet Too. 4: Northeast Signature Serveys and Standard St		1 1
in ENREYA anty, Nevada, on the 12th day of SEPENDER'S STAMP Name and mailing address scator is: 120 Record away De. 230 Record away De. 230 Record away De. 250 Recor		-1
Name and mailing address scator is: James A. Morris 230 Recorded No. 100 feet are claimed in a Surrissoft tion and 200 feet in a Morris soft feet on each side of the monument of location, at the Notice of Location was posted, together with 300 feet on each side of the monument of location are inter line of the Claim. The general course of the lode or vein is from the Surris to the Morris direction. The number, location and rangs on each corner monument are as follows: Location		/
Name and mailing address scator is: James A. Morris 230 Recorded No. 100 feet are claimed in a Surrissoft tion and 200 feet in a Morris soft feet on each side of the monument of location, at the Notice of Location was posted, together with 300 feet on each side of the monument of location are inter line of the Claim. The general course of the lode or vein is from the Surris to the Morris direction. The number, location and rangs on each corner monument are as follows: Location		
Name and mailing address scator is: James A. Morris 230 Recorded No. 100 feet are claimed in a Surrissoft tion and 200 feet in a Morris soft feet on each side of the monument of location, at the Notice of Location was posted, together with 300 feet on each side of the monument of location are inter line of the Claim. The general course of the lode or vein is from the Surris to the Morris direction. The number, location and rangs on each corner monument are as follows: Location		
Name and mailing address ocator is: Jame		"The state of the
The Claim is approximately CO feet long and 600 feet wide, such that 1800 feet are claimed in a Superiorition and 300 feet in a Library Indirection from the point of discovery (monument of location), at the Notice of Location was posted, together with 300 feet on each side of the monument of location, center line of the Claim. The general course of the lode or vein is from the Superiority direction. The number, location and rungs on each corner monument are as follows: Location Markings Description No. 1: Northeast Rober SE LORMAN 1/2 WOODEN POST No. 2: Superiority Wooden Post No. 3: Superiority Wooden Post No. 4: Northwest Cher Sub Robert Northwest Cher S	September , 2003 RECORDER	'S STAMP
The Claim is approximately CO feet long and 600 feet wide, such that 1800 feet are claimed in a Supresseption and 300 feet in a Library Indirection from the point of discovery (monument of location), at the Notice of Location was posted, together with 300 feet on each side of the monument of location, enter line of the Claim. The general course of the lode or vein is from the Supresseption to the North direction. The number, location and rungs on each corner monument are as follows: Location Markings Description No. 1: Northeast Rober SE LORMAN 1/2 WOODEN POST No. 2: Suppress Rober SE LORMAN 1/2 WOODEN POST No. 3: Suppress Rober SI Rober		
The Claim is approximately TCC feet long and 600 feet wide, such that /300 feet are claimed in a Synkesser tion and 300 feet in a Mental syndirection from the point of discovery (monument of location), at the Notice of Location was posted, together with 300 feet on each side of the monument of location center line of the Claim. The general course of the lode or vein is from the Synkest to the Notice of Location. The number, location and rungs on each corner monument are as follows: Location Markings Description No. 1: Northest Ries SE LORMAN 1/2 x 1/2 WOODEN POST No. 2: Southeast Ries SE LORMAN 1/2 x 1/2 WOODEN POST No. 3: Southeast Ries SI RORMAN 1/2 x 1/2 WOODEN POST No. 4: Northest Ries SI RORMAN 1/2 x 1/2 WOODEN POST As erected on the ground, e corner monument is marked as described above by Paint CA As 1 (e.g. metal tags, paint on posts). The work of location consi. of making a claim map as provided in NRS 517.040. Dated this 12 day of Sauges 2003. SIGNATURE OF LOCAT! By Owner, Claimant Agent Signature		
The Claim is approximately TOO feet long and 600 feet wide, such that 1800 feet are claimed in a xurtus serviction and 300 feet in a 12 2 16 feet wide, such that 1800 feet are claimed in a xurtus serviction and 300 feet in a 12 2 2 200 feet on the point of discovery (monument of location), at the Notice of Location was posted, together with 300 feet on each side of the monument of location acenter line of the Claim. The general course of the lode or vein is from the Surtus to the North direction. The number, location and rungs on each corner monument are as follows: Location Markings Description No. 1: Northeast Race SE LORMAN 1/2 x 1/2 Wooden Post No. 2: Surtheast Race SE LORMAN 1/2 x 1/2 Wooden Post No. 3: Surthus ST Race Sin Roceman 1/2 x 1/2 Wooden Post No. 4: Northus ST Race NW PORMAN 1/2 x 1/2 Wooden Post No. 4: Northus ST Race NW PORMAN 1/2 x 1/2 Wooden Post As erected on the ground, e corner monument is marked as described above by Ant on 100 100 100 100 100 100 100 100 100 10		
claimed in a Surrespectation and 300 feet in a Marking feet on a Marking feet on each side of the monument of location, at the Notice of Location was posted, together with 300 feet on each side of the monument of location wenter line of the Claim. The general course of the lode or vein is from the Surrespect to the Marking to the Marking on each corner monument are as follows: Location Markings Description No. 1: Northeast rises NE Poorman 1/2 x 1/2 wooded feet No. 2: Surteest Rises SE LORMAN 1/2 x 1/2 wooded feet No. 3: Surteest Rises Side Foorman 1/2 x 1/2 wooded feet No. 4: No. 4: Northeast rises Nw Poorman 1/2 x 1/2 wooded feet No. 4: No. 4: Northeast rises Nw Poorman 1/2 x 1/2 wooded feet No. 4: No. 4: Northeast rises Nw Poorman 1/2 x 1/2 wooded feet No. 5: No. 4: Northeast rises Nw Poorman 1/2 x 1/2 wooded feet No. 5: No. 4: Northeast rises Nw Poorman 1/2 x 1/2 wooded feet No. 5: No. 4: Northeast rises Nw Poorman 1/2 x 1/2 wooded feet No. 5: No. 4: Northeast rises Nw Poorman 1/2 x 1/2 wooded feet No. 5: No. 4: Northeast rises Nw Poorman 1/2 x 1/2 wooded feet No. 5: No. 4: Northeast rises Nw Poorman 1/2 x 1/2 wooded feet No. 5: No. 4: Northeast rises Nw Poorman 1/2 x 1/2 wooded feet No. 5: No. 4: Northeast rises Nw Poorman 1/2 x 1/2 wooded feet No. 5: No. 4: Northeast rises Nw Poorman 1/2 x 1/2 wooded feet No. 5: No. 4: Northeast rises Nw Poorman 1/2 x 1/2 wooded feet No. 5: No. 4: Northeast rises Nw Poorman 1/2 x 1/2 wooded feet Nw. 5: No. 4: Northeast rises Nw Poorman 1/2 x 1/2 wooded feet Nw. 5: No. 4: Northeast rises Nw Poorman 1/2 x 1/2 wooded feet Nw. 5: No. 4: Northeast rises Nw Poorman 1/2 x 1/2 wooded feet Nw. 5: No. 4: Northeast rises Nw Poorman 1/2 x 1/2 wooded feet Nw. 5: No. 4: Northeast rises Nw Poorman 1/2 x 1/2 wooded feet Nw. 5: No. 4: Northeast rises Nw Poorman 1/2 x 1/2 wooded feet Nw. 5: No. 4: Nw. 5: No. 4: Northeast rises Nw Poorman 1/2 x 1/2 wooded feet Nw. 5: No. 4: Northeast rises Nw Poorman 1/2 x 1/2 wooded feet Nw. 5: No. 4: Northeast rises Nw Poorman 1/2 x 1/2 wooded feet Nw.	DPRING CEEK, NV 8981.5	
claimed in a Surrespectation and 300 feet in a Marking feet on a Marking feet on each side of the monument of location, at the Notice of Location was posted, together with 300 feet on each side of the monument of location wenter line of the Claim. The general course of the lode or vein is from the Surrespect to the Marking to the Marking on each corner monument are as follows: Location Markings Description No. 1: Northeast rises NE Poorman 1/2 x 1/2 wooded feet No. 2: Surteest Rises SE LORMAN 1/2 x 1/2 wooded feet No. 3: Surteest Rises Side Foorman 1/2 x 1/2 wooded feet No. 4: No. 4: Northeast rises Nw Poorman 1/2 x 1/2 wooded feet No. 4: No. 4: Northeast rises Nw Poorman 1/2 x 1/2 wooded feet No. 4: No. 4: Northeast rises Nw Poorman 1/2 x 1/2 wooded feet No. 5: No. 4: Northeast rises Nw Poorman 1/2 x 1/2 wooded feet No. 5: No. 4: Northeast rises Nw Poorman 1/2 x 1/2 wooded feet No. 5: No. 4: Northeast rises Nw Poorman 1/2 x 1/2 wooded feet No. 5: No. 4: Northeast rises Nw Poorman 1/2 x 1/2 wooded feet No. 5: No. 4: Northeast rises Nw Poorman 1/2 x 1/2 wooded feet No. 5: No. 4: Northeast rises Nw Poorman 1/2 x 1/2 wooded feet No. 5: No. 4: Northeast rises Nw Poorman 1/2 x 1/2 wooded feet No. 5: No. 4: Northeast rises Nw Poorman 1/2 x 1/2 wooded feet No. 5: No. 4: Northeast rises Nw Poorman 1/2 x 1/2 wooded feet No. 5: No. 4: Northeast rises Nw Poorman 1/2 x 1/2 wooded feet No. 5: No. 4: Northeast rises Nw Poorman 1/2 x 1/2 wooded feet Nw. 5: No. 4: Northeast rises Nw Poorman 1/2 x 1/2 wooded feet Nw. 5: No. 4: Northeast rises Nw Poorman 1/2 x 1/2 wooded feet Nw. 5: No. 4: Northeast rises Nw Poorman 1/2 x 1/2 wooded feet Nw. 5: No. 4: Northeast rises Nw Poorman 1/2 x 1/2 wooded feet Nw. 5: No. 4: Northeast rises Nw Poorman 1/2 x 1/2 wooded feet Nw. 5: No. 4: Northeast rises Nw Poorman 1/2 x 1/2 wooded feet Nw. 5: No. 4: Nw. 5: No. 4: Northeast rises Nw Poorman 1/2 x 1/2 wooded feet Nw. 5: No. 4: Northeast rises Nw Poorman 1/2 x 1/2 wooded feet Nw. 5: No. 4: Northeast rises Nw Poorman 1/2 x 1/2 wooded feet Nw.		
(monument of location), at ch the Notice of Location was posted, together with 300 feet on each side of the monument of location wenter line of the Claim. The general course of the lode or vein is from the Sethers—to the Morant direction. The number, location and rungs on each corner monument are as follows: Location No. 1: Northeast Rick SE forman No. 2: Southeast Rick SE forman No. 3: Southeast Rick SE forman No. 4: Northwest when North Post No. 4: Northwest when North Post As erected on the ground, e corner monument is marked as described above by Paint and Accompany (e.g. metal tags, paint on posts). The work of location consist of making a claim map as provided in NRS 517.040. Dated this 12 day of Seude R., 2003. SIGNATURE OF LOCATI By Owner, Claimarr Agent Signature	The Claim is approximately CO feet long and 600 feet wide, such that 1000 feet	аге
the monument of location center line of the Claim. The general course of the lode or vein is from the SCHEST to the NOTHLI direction. The number, location and rungs on each corner monument are as follows: Location No. 1: NOTHFAST RIFE NE PORMAN No. 2: SOUTHFAST RIFE SE FORMAN No. 3: SOUTHFAST RIFE SU FORMAN No. 4: NOTHFAST RIFE SU FORMAN As erected on the ground, e corner monument is marked as described above by AS erected on the ground, e corner monument is marked as described above by AS I AS	claimed in a Southesser tion and Soo feet in a Northesser tion from the point of disc	overy
The number, location and rungs on each corner monument are as follows: Location No. 1: Northeast right NE Portman No. 2: Southeast right SE Jordan No. 3: Southeast right Sucream New Northeast right No. 4: Northeast right New Northeast right No. 4: Northeast right New Northeast right No. 4: Northeast right New Northeast right Northeast right No. 4: Northeast right Northeast ri	the manufact of location wanter line of the Claim. The control of the least of the	ich side of
The number, location and rungs on each corner monument are as follows: Location No. 1: Northeast rungs No. 2: Southeast rungs No. 3: Southeast rungs No. 4: Northeast rungs Northeast rungs No. 4: Northeast rungs No.	Scruts to the Actual direction	
No. 1: NORTHEAST RIFE NE PORMAN 1/2 X 1/2 WOODEN POST No. 2: SOUTHWAST RIFE SW PORMAN 1/2 X 1/2 WOODEN POST No. 3: SOUTHWEST ENER SW PORMAN 1/2 X 1/2 WOODEN POST No. 4: NEXHWEST ENER NW PORMAN 1/2 X 1/2 WOODEN POST As erected on the ground, e corner monument is marked as described above by PAINT CA POST (e.g. metal tags, paint on posts). The work of location consist of making a claim map as provided in NRS 517.040. Dated this 12 day of SEMBER, 2003. SIGNATURE OF LOCATI By A Markings Description 1/2 X 1/2 WOODEN POST NE PORMAN 1/2 X 1/2 WOODEN POST NO. 2: SOUTHWAST ENER NW PORMAN 1/2 X 1/2 WOODEN POST NO. 3: SOUTHWAST ENER NW PORMAN 1/2 X 1/2 WOODEN POST NO. 4: NETHWEST ENER NW PORMAN 1/2 X 1/2 WOODEN POST NO. 4: NETHWEST ENER NW PORMAN 1/2 X 1/2 WOODEN POST NO. 4: NETHWEST ENER NW PORMAN 1/2 X 1/2 WOODEN POST NO. 4: NETHWEST ENER NW PORMAN 1/2 X 1/2 WOODEN POST NO. 4: NETHWEST ENER NW PORMAN 1/2 X 1/2 WOODEN POST NO. 4: NETHWEST ENER OWNER POST NO. 2: SOUTHWAST ENER NW POST NO. 3: SOUTHWAST ENER NW POST NO. 4: NETHWEST ENER NO. 4: NETHWEST NO. 4: NETHWEST ENER NO. 4: NETHWEST NO. 4: NETHWEST NO. 4: NETWY ENER NO. 4: NETHWEST NO. 5: NETHWEST NO. 5: NETHWEST NO. 5: NETHWEST NO. 6: NETWWEST NO. 6: NETWWEST	North Hard to the Hard an earth.	
No. 1: Northeast Rife NE Portman 1/2 x 1/2 wooden fost No. 2: Southeast Rife SE JORMAN 1/2 x 1/2 wooden fost No. 3: Southwest Ener Sin fortman 1/2 x 1/2 wooden fost No. 4: Northwest Ener Nw Portman 1/2 x 1/2 wooden fost As erected on the ground, e corner monument is marked as described above by As erected on the ground, e corner monument is marked as described above by Annt Ch free (e.g. metal tags, paint on posts). The work of location consist of making a claim map as provided in NRS 517.040. Dated this 12 day of Sense R., 2003. SIGNATURE OF LOCATI By Ann A John Owner, Claimarr Agent Signature	The number, location and rungs on each corner monument are as follows:	
No. 1: Northeast rate SE PORMAN No. 2: Southwest rate SE PORMAN No. 3: Southwest rate SI Forman No. 4: Northwest rate NW PORMAN As erected on the ground, e corner monument is marked as described above by As erected on the ground, e corner monument is marked as described above by As erected on the ground, e corner monument is marked as described above by As erected on the ground, e corner monument is marked as described above by As erected on the ground, e corner monument is marked as described above by As erected on the ground, e corner monument is marked as described above by As erected on the ground, e corner monument is marked as described above by As erected on the ground, e corner monument is marked as described above by As erected on the ground, e corner monument is marked as described above by As erected on the ground, e corner monument is marked as described above by As erected on the ground, e corner monument is marked as described above by As erected on the ground, e corner monument is marked as described above by As erected on the ground, e corner monument is marked as described above by As erected on the ground, e corner monument is marked as described above by As erected on the ground, e corner monument is marked as described above by As erected on the ground, e corner monument is marked as described above by As erected on the ground, e corner monument is marked as described above by As erected on the ground, e corner monument is marked as described above by As erected on the ground, e corner monument is marked as described above by As erected on the ground, e corner monument is marked as described above by As erected on the ground, e corner monument is marked as described above by As erected on the ground, e corner monument is marked as described above by As erected on the ground, e corner monument is marked as described above by As erected on the ground, e corner monument is marked as described above by As erected on the ground, e corner monument is marked as described		
No. 2: SONTHEAST RIKE SE CORMAN No. 3: SONTHWEST RIKE SW FORMAN No. 4: NETHWEST RIKE NW PORMAN As erected on the ground, e corner monument is marked as described above by PAINT CA POST (e.g. metal tags, paint on posts). The work of location consis of making a claim map as provided in NRS 517.040. Dated this 12 day of Sender 2, 2003. SIGNATURE OF LOCAT! By James A. Johns Owner, Claiman Agent Signature		
No. 4: NETHWEST ENER NW PORMAN As erected on the ground, e corner monument is marked as described above by As erected on the ground, e corner monument is marked as described above by As erected on the ground, e corner monument is marked as described above by As erected on the ground, e corner monument is marked as described above by As erected on the ground, e corner monument is marked as described above by As erected on the ground, e corner monument is marked as described above by As erected on the ground, e corner monument is marked as described above by As erected on the ground, e corner monument is marked as described above by As erected on the ground, e corner monument is marked as described above by As erected on the ground, e corner monument is marked as described above by As erected on the ground, e corner monument is marked as described above by As erected on the ground, e corner monument is marked as described above by As erected on the ground, e corner monument is marked as described above by As erected on the ground, e corner monument is marked as described above by As erected on the ground, e corner monument is marked as described above by As erected on the ground, e corner monument is marked as described above by As erected on the ground, e corner monument is marked as described above by As erected on the ground, e corner monument is marked as described above by As erected on the ground, e corner monument is marked as described above by As erected on the ground, e corner monument is marked as described above by As erected on the ground, e corner monument is marked as described above by As erected on the ground, e corner monument is marked as described above by As erected on the ground, e corner monument is marked as described above by As erected on the ground, e corner monument is marked as described above by As erected on the ground, e corner monument is marked as described above by As erected on the ground, e corner monument is marked as described above by As erected o		1 post
As erected on the ground, e corner monument is marked as described above by As erected on the ground, e corner monument is marked as described above by (e.g. metal tags, paint on posts). The work of location consist of making a claim map as provided in NRS 517.040. Dated this 12 day of Sember 2, 2003. SIGNATURE OF LOCATI By Owner, Claimarr Agent Signature		POST
As erected on the ground, e corner monument is marked as described above by As erected on the ground, e corner monument is marked as described above by (e.g. metal tags, paint on posts). The work of location consist of making a claim map as provided in NRS 517.040. Dated this 12 day of Seusse, 2003. SIGNATURE OF LOCAT: By Owner, Claimarr Agent Signature	NO. 3: SOUTHWEST RIVER SIN PORMAN 1/2 × 1/2 WOODE	EN ASST
As erected on the ground, e corner monument is marked as described above by PAINT ON (e.g. metal tags, paint on posts). The work of location consist of making a claim map as provided in NRS 517.040. Dated this 12 day of Sense 2, 2003. SIGNATURE OF LOCAT: By Owner, Claimarr Agent Signature		
The work of location consist of making a claim map as provided in NRS 517.040. Dated this 12th day of Stuber, 2003. SIGNATURE OF LOCATI By Owner, Claimarr Agent Signature	112 112 112 112 112 112 112 112 112 112	4 1021
The work of location consist of making a claim map as provided in NRS 517.040. Dated this 12th day of Sembre, 2003. SIGNATURE OF LOCATI By Owner, Claimarr Agent Signature	As erected on the ground, e corner monument is marked as described above by	
Dated this 12th day of SEMBER, 2003. SIGNATURE OF LOCAT: By and A. Johns Owner, Claiman Agent Signature	PAINT CA HS; (e.g. metal tags, paint on posts).	
Dated this 12th day of SEMBER, 2003. SIGNATURE OF LOCAT: By and A. Johns Owner, Claiman Agent Signature		
By A. A. Owner, Claiman Agent Signature	The work of location consist of making a claim map as provided in NRS 517.040.	
By A. A. Owner, Claiman Agent Signature	Devide: 17th Scient 2002	
By James A. Jewis Owner, Claiman Agent Signature	Dated this 12 day of 32 Mot E, 2003.	
By James A. Jewis Owner, Claiman Agent Signature	SIGNATURE OF LOCATE	
Owner, Claimarr Agent Signature		
Owner, Claimarr Agent Signature	By Vanna A. Torris	
	Owner, Claiman Agent Signature	
Tauer A 1. DDIC	JAMES A PORRIS	

Suggested Form - Nevada Division of Minerals (REV, 6/30/2003 LV) Nevada Lode Certificate of Location - NRS 517.050

BOOK 365 PAGE 261

EUREKA COUNTY NEVADA M.H. REBALEATI, RECORDER FILEND. FEES 20

CERTICATE OF LOCATION LŒ MINING CLAIM

ORRIS

Owner, Claimant, vgent Name (printed)

TO ALL WHOM IT NY CONCERN: 182467 The undersigned hereby coes that he has caused to be located the KUTH Lode Mining Claim in the following quarter sections(s): ounty, Nevada, on the 12th SEPTEMBER RECORDER'S STAMP Name and mailing address-ocator is: The Claim is approximate! 500 feet long and feet wide, such that 1200 feet are claimed in a suppose feet in a source ANE direction from the point of discovery (monument of location), such the Notice of Location was posted, together with 300 feet on each side of the monument of location center line of the Claim. The general course of the lode or vein is from the NerthyesI to the South direction. The number, location and kings on each corner monument are as follows: Markings No. 1: As erected on the ground, a corner monument is marked as described above by (e.g. metal tags, paint on posts). The work of location const. of making a claim map as provided in NRS 517.040. Dated this 12 day of SEMBER, 2003 SIGNATURE OF LOCAT Owner, Claim or Agent Signature

Suggested Form - Nevada Division of Minerals (REV. 6/30/2003 LV) Nevada Lode Certificate of Location - NRS 517.050